13th August 1929]

Use of steel windows and doors for the Police lines.

* 375 Q.—Mr. K. V. R. SWAMI: Will the hon. the Minister for Development be pleased to state—

(a) what is the result of the experiments regarding the use of steel windows and doors, etc., for police lines; and

(b) whether this practice will be stopped in future?

A.—(a) The Chief Engineer has been asked to report on the results of the experiments early in January 1930.

(b) The question will be considered on receipt of the Chief Engineer's report.

Mr. K. V. R. SWAMI:—"May I know whether it is a fact that no enquiry has been made up till now with regard to the durability of these things?"

The hon. Mr. M. R. SETURATNAM AYYAR:—"No, Sir. We want time to see whether this experiment has been useful or not."

Mr. K. V. R. SWAMI:—"When was this report called for?"

The hon. Mr. M. R. SETURATNAM AYYAR:—"According to the original Government Order two years' time was given, but now I have asked the Chief Engineer to report early in January 1930."

Medical

Appointment of non-official medical men and women to the Advisory Committees.

* 376 Q.—Mr. S. SATYAMURTI: Will the hon. the Minister for Public Health be pleased to state—

(a) whether non-official medical men or women have been, or are proposed to be appointed to the Advisory Committees of the State hospitals;

(b) if so, their names and the Committees on which they have been invited to serve; and

(c) if not, why not?

A.—The hon. Member is referred to G.O. No. 1598, P.H., dated 26th June 1929, laid on the table in answer to question No. 125 on 8th August 1929. Under this Government Order non-official medical men and women are clearly eligible for membership.

Land Revenue

Berm cutting in Cuddapah district.

* 377 Q.—Mr. G. HARISARVOTTAMA RAO: Will the hon. the Member for Revenue be pleased to state with reference to the answers given to question No. 528 on 11th October 1928 regarding Berm cutting in the Cuddapah district—

(a) whether the report of the Board of Revenue has been considered;

(b) whether the Chief Engineer's report has been received and considered;

(c) what action the Government propose to take; and

(d) whether the reports will be placed on the table?